


PETLIBRO PLWF006

Filter Replacement Guide

For the PETLIBRO 3L Stainless Steel Pet Water Fountain
Compatible replacement filter listing: B09G697C4P

PRODUCT OVERVIEW



The replacement filter set in the linked Amazon listing is specified for PETLIBRO PLWF003 and PLWF006. This guide uses the PLWF006 user manual diagrams.

Filter type	Activated carbon filter
Additional part	Pump sponge
Recommended interval	Replace the carbon filter and sponge at least once every 2 weeks

Before You Start

- Turn off and unplug the fountain.
- Lift the top cover by its handle.
- Remove the used filter from the filter housing.
- Use a clean bowl for soaking the new filter.


Step 1. Soak the new filter

Place the new filter in a clean bowl of water for 5 minutes. Do not soak it inside the fountain tank. After soaking, rinse the filter before installation.

HOW TO USE

Step 1

Soak the filter in a clean bowl for 5 minutes.




Notes:

- 1-The filter must be fully soaked before the fountain is turned on; otherwise, water may not smoothly disperse through the filter and cause spillage.
- 2-Do not soak the filter in the water tank of the fountain in case of any surface dust.

Step 2

Open the cover by lifting the handle.



How to Replace the Filter

Step 2. Open the fountain

Lift the top cover by the handle and set it aside on a clean surface.

Step 3. Check the pump and sponge

Make sure the pump holder is installed first, then place the pump into the sponge and press it firmly so the pump is held securely.

Step 4. Install the new carbon filter

Place the soaked activated carbon filter into the filter housing. Press the housing closed at the marked latch area.

Step 5. Refill and close


Add water between the MIN and MAX marks. Put the cover back on so it forms a seal.

Step 6. Restart the fountain

Reconnect the power adapter and confirm that water is flowing normally.

Step 3


Install the pump holder first, then put the pump into the sponge. Press the pump to make the suction cup under the pump sticks tightly.



Note: Make sure the pump is fixed in place in the tank.

Step 4


Put the activated carbon filter in the filter housing and close.



07


Step 5

Add some water.




Step 6

Put back the cover to form a seal.



Step 7

Connect the power adaptor.



08

Care After Filter Replacement


- Replace the carbon filter and pump sponge at least once every 2 weeks.
- Clean the pump and fountain at least once every 2 weeks.
- Keep the water level above the pump to prevent the pump from running without enough water.

CARE INSTRUCTIONS


1. Replace the carbon filter and sponge at least once every 2 weeks.

2. Clean the pump and fountain at least once every 2 weeks.

Take off the pump cover and rotor. Use the brush to clean the parts with water.



3. Keep the water level above the pump, as the pump will fail if it runs without water.



n9

Quick Check

- The filter housing is fully closed.
- The pump is fixed securely in the sponge and holder.
- The water level is between MIN and MAX.
- The top cover is seated correctly.
- Water flows normally after power is restored.

This guide is specific to PLWF006 and the replacement filter set identified in Amazon listing B09G697C4P. Do not use the Dockstream flat filters intended for PLWF005, PLWF105, PLWF115, PLWF106, or PLWF116 in this model.