


PETLIBRO Dockstream 2

PLWF106 Filter Replacement Guide

English quick guide with pictures
For model PLWF106 only




This guide is for the PETLIBRO Dockstream 2 Smart Fountain, model PLWF106. It uses the Dockstream flat filter plus a foam pre-filter. The stainless steel water tray and filter tray are integrated and should not be separated.

Model	PLWF106
Power type	Plug-in / corded
Main filter	Flat Dockstream replacement filter
Pre-filter	Foam filter installed in the water pump cover
Important	The stainless steel water tray and filter tray are integrated.

Before You Start

- Unplug the fountain before changing the filter.
- Remove the tank from the base and discard the used water.
- Soak the new flat filter in tap water for 5 minutes, then rinse it thoroughly.
- Rinse the tank parts with water below 50 C. Do not wash or submerge the base.




How to Replace the Filters

Step 1. Remove the old flat filter

Lift off the spout and filter cover. Remove the used flat filter from the integrated filter tray.

Step 2. Replace the foam pre-filter

Remove the old foam filter from the water pump cover. Insert the new foam filter into the same opening, then place the water pump cover inside the water tank.




Step 3. Install the soaked main filter

Place the soaked and rinsed flat filter into the filter tray. Install the filter lid so the filter sits flat and the parts align correctly.


Step 4. Fill the tank and close the fountain

Fill the tank with fresh water. Install the integrated stainless steel water tray and filter tray, then snap the lid into place.



Step 5. Route the power cable correctly

Because PLWF106 is the plug-in version, route the power cable through one of the cable slots on the bottom of the fountain. PETLIBRO states that correct cable routing helps maintain accurate water-level monitoring.



Step 6. Restart and check

- Place the tank back on the base.
- Connect the original power adapter and switch the fountain on.
- Check that water flows normally.
- If flow is weak or irregular, confirm that the foam filter, flat filter, cover, and tray are seated correctly.

Replacement and Cleaning Schedule

The available PLWF106 manual recommends cleaning the water tank and internal parts every week and replacing the filter every week. Follow the product packaging if it gives a different interval for your replacement filter kit.

Important Model Difference

PLWF106 is the corded Dockstream 2 model. Do not use the PLWF116 cordless instructions for power or base setup, even though the filter system is similar.

Source note

Prepared from the PLWF106 user manual and the PETLIBRO Dockstream filter compatibility information.